



WATER RESISTANT LAMINATE FLOORING




CATALOGUE
2023

CLASSEN® FLOORS FOR A BETTER TOMORROW

In the middle of the Brandenburg forest, in Baruth (near Berlin), the CLASSEN Group produces premium laminate flooring, 100 % integrated from wood cutting to the finished product. All waste materials generated in production are used either materially or thermally for the production of process energy. The laminate is manufactured in an environmentally friendly manner, developed using the latest technology and impresses with its high-quality finish. All CLASSEN laminate products bear the „Blauer Engel“ (Blue Angel) environmental seal of the German Federal Government.

We only use wood from sustainable forestry certified according to FSC® (FSC C100583) and PEFC (PEFC/04-31-0824) as well as from other controlled sources. As a rule, we obtain the wood from the immediate surrounding area in order to keep the delivery routes short.



CONTENT

01.	INTRODUCTION	4	17.	EXPERT 4V	66
02.	CHARM 4V	6	18.	LEGEND 4V	70
03.	EUPHORIA 4V	10	19.	VISIOGRANDE	74
04.	EXPEDITION 4V	14	20.	XXL DYNAMIC	80
05.	NATURE 4V	18	21.	XXL HORIZON	84
06.	TREND 4V	22	22.	GRANDE XXL	88
07.	VISION 4V	26	23.	DIAMOND 4V	94
08.	GALAXY 4V	30	24.	FORZA 4V	98
09.	MASTER 4V	34	25.	IMPRESSION 4V	102
10.	CHOICE 4V	38	26.	VOGUE 4V	106
11.	ELITE 4V	42	27.	DISCOVERY 4V	110
12.	EVOLUTION 4V	46	28.	STORY 4V	114
13.	EMOTIONS 4V	50	29.	SUPREME 4V	118
14.	HARMONY FORTE	54	30.	EXTREME 4V	122
15.	PRIDE 4V	58	31.	TECHNOLOGIES	126
16.	VILLA 4V	62			

1. WATER RESISTANT

megaloc
aqua protect




WHY IS CLASSEN'S WATER RESISTANT FLOORING THE BEST CHOICE?

NALFA and ISO 4760:2022

The NALFA test is a standardized method to assess the water behaviour of laminate flooring. By carrying out strictly defined tests, **North American Laminate Flooring Association** determines the **48-hour resistance** of laminated panels to standing water, simulating a serious fault / failure of the water system, thus exposing the joints of the panels to swelling and irreversible damage.

CLASSEN panels have made it to the first and best NALFA result group, i.e. **no visible swelling on the surface**. We are proud of it!



SAFE flooring

Our floors can be used anywhere in the house, complex solution - for bathrooms, kitchens, pets and kids...

A minimum content of formaldehyde, CLASSEN products are a perfect solution for people who care about the safety of users.

Daily use, cleaning and splash situations no longer damage the floor!



SCAN & SEE
the animation
showing how it works



02.

CHARM 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



RESIST SPILLS
UP TO 48H



Charm 4V Livorno Oak



Evans Oak 56684
1285 x 192 x 8 mm / str. wood matt



Kendari Oak 56685
1285 x 192 x 8 mm / str. wood matt



Lindau Oak 56686
1285 x 192 x 8 mm / str. wood gloss



Portland Oak 56690
1285 x 192 x 8 mm / str. wood matt



Livorno Oak 56687
1285 x 192 x 8 mm / str. wood matt



Marcone Oak 56688
1285 x 192 x 8 mm / str. wood matt



Milano Oak 56689
1285 x 192 x 8 mm / str. wood matt



Rochester Oak 56691
1285 x 192 x 8 mm / str. wood matt



Charm 4V Rochester Oak

03.

EUPHORIA 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Euphoria 4V Trevi Oak



Euphoria 4V Romero Oak



Catania Oak 56601

1285 x 192 x 8 mm / str. synchro



Pamir Oak 56603

1285 x 192 x 8 mm / str. synchro



Muren Oak 56604

1285 x 192 x 8 mm / str. synchro



Ember Oak 56605

1285 x 192 x 8 mm / str. synchro



Atlas Oak 56602

1285 x 192 x 8 mm / str. synchro



Trevi Oak 56606

1285 x 192 x 8 mm / str. synchro



Romero Oak 56831

1285 x 192 x 8 mm / str. synchro



Sutton Oak 58632

1285 x 192 x 8 mm / str. synchro

04.

EXPEDITION 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



RESIST SPILLS
UP TO 48H



Expedition 4V Turkana Oak



Masaya Oak 52782
1285 x 192 x 8 mm / str. wood matt



Tanganika Oak 52783
1285 x 192 x 8 mm / str. wood matt



Turkana Oak 52786
1285 x 192 x 8 mm / str. wood matt



Expedition 4V Patos Oak



Patos Oak 54852
1285 x 192 x 8 mm / str. wood gloss



Lugano Oak 54855
1285 x 192 x 8 mm / str. wood gloss



Onega Oak 54856
1285 x 192 x 8 mm / str. wood matt



Asal Oak 55012
1285 x 192 x 8 mm / str. wood matt



Niasa Oak 55013
1285 x 192 x 8 mm / str. wood matt



Titicaca Oak 56619
1285 x 192 x 8 mm / str. wood matt

05.

NATURE 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE




THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Nature 4V Flamante Oak



Santuro Oak 55274
1285 x 192 x 8 mm / str. synchro




Formagio Oak 55276
1285 x 192 x 8 mm / str. synchro



Flamante Oak 55279
1285 x 192 x 8 mm / str. synchro



Nature 4V Harvest Oak



Nature 4V Formagio Oak



Cortina Oak 62740
1285 x 192 x 8 mm / str. wood matt



Camden Oak 62741
1285 x 192 x 8 mm / str. wood matt



Harvest Oak 62745
1285 x 192 x 8 mm / str. wood matt



Lorenzo Oak 63215
1285 x 192 x 8 mm / str. synchro

06.

TREND 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



RESIST SPILLS
UP TO 48H



Trend 4V Mamry Oak



Trend 4V Goldap Oak



Wostok Oak 52606
1285 x 192 x 8 mm / str. wood gloss



Baikal Oak 56620
1285 x 192 x 8 mm / str. wood gloss



Dargin Oak 56621
1285 x 192 x 8 mm / str. wood matt



Goldap Oak 52600
1285 x 192 x 8 mm / str. wood matt



Mamry Oak 52601
1285 x 192 x 8 mm / str. wood matt



Vanda Oak 52605
1285 x 192 x 8 mm / str. wood gloss



Manitoba Oak 56830
1285 x 192 x 8 mm / str. wood matt



Trend 4V Wostok Oak

07.

VISION 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE




THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



MULTICOLOR



RESIST SPILLS
UP TO 48H



Vision 4V Rainy Oak



Rainy Oak 52788
1285 x 192 x 8 mm / str. synchro



Erie Oak 52791
1285 x 192 x 8 mm / str. synchro



Athabasca Oak 52796
1285 x 192 x 8 mm / str. synchro



Avenue Oak 52797
1285 x 192 x 8 mm / str. synchro



Maracaibo Oak 52798
1285 x 192 x 8 mm / str. synchro



Alberta Oak 55493
1285 x 192 x 8 mm / str. synchro



Vision 4V Athabasca Oak

08.

GALAXY 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



RESIST SPILLS
UP TO 48H



Galaxy 4V Lozano Oak



Viviero Spruce 61504
1285 x 192 x 8 mm / str. wood matt



Cobalt Spruce 61505
1285 x 192 x 8 mm / str. wood matt



Gibson Oak 61506
1285 x 192 x 8 mm / str. wood matt



Porto Oak 61512
1285 x 192 x 8 mm / str. wood matt



Chester Oak 61507
1285 x 192 x 8 mm / str. wood gloss



Lozano Oak 61509
1285 x 192 x 8 mm / str. wood gloss



Clifton Oak 61510
1285 x 192 x 8 mm / str. wood gloss



Montreal Oak 61513
1285 x 192 x 8 mm / str. wood matt



Galaxy 4V Viviero Spruce

09.

MASTER 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



RESIST SPILLS
UP TO 48H



Master 4V Wisconsin Oak



Tamagawa Oak 57298
1285 x 192 x 8 mm / str. wood gloss



Wisconsin Oak 57312
1285 x 192 x 8 mm / str. wood matt



Chester Spruce 57314
1285 x 192 x 8 mm / str. wood gloss



Mondo Oak 61470
1285 x 192 x 8 mm / str. wood matt



Concord Oak 61471
1285 x 192 x 8 mm / str. wood matt



Master 4V Tamagawa Oak



Master 4V Mondo Oak

10.

CHOICE 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



RESIST SPILLS
UP TO 48H




Choice 4V Modena Oak Select



Barletta Oak Rustic 54978
1285 x 280 x 8 mm / str. wood gloss



Avinion Oak Rustic 54979
1285 x 280 x 8 mm / str. wood matt



Viviero Oak Rustic 54980
1285 x 280 x 8 mm / str. wood matt



Choice 4V Avinion Oak Rustic




Choice 4V Barletta Oak Rustic



Rimini Oak Rustic 54982
1285 x 280 x 8 mm / str. wood matt



Modena Oak Rustic 54983
1285 x 280 x 8 mm / str. wood gloss



Avinion Oak Select 55294
1285 x 280 x 8 mm / str. wood matt



Modena Oak Select 55295
1285 x 280 x 8 mm / str. wood gloss

11.

ELITE 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Elite 4V Crotone Oak



Elite 4V Caserta Oak



Caserta Oak 55041
1285 x 280 x 8 mm / str. synchro



Marsala Oak 55043
1285 x 280 x 8 mm / str. synchro



Crotone Oak 55044
1285 x 280 x 8 mm / str. synchro



Cassano Oak 55045
1285 x 280 x 8 mm / str. synchro



Augusta Oak 55042
1285 x 280 x 8 mm / str. synchro



Elite 4V Cassano Oak

12.

EVOLUTION 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Evolution 4V Covelo Oak



Croford Oak 56928
1285 x 280 x 8 mm / str. synchro



Kingston Oak 56929
1285 x 280 x 8 mm / str. synchro



Cerano Oak 61943
1285 x 280 x 8 mm / str. synchro



Covelo Oak 63126
1285 x 280 x 8 mm / str. synchro



Siena Oak 63110
1285 x 280 x 8 mm / str. synchro



Monteverdi Oak 63111
1285 x 280 x 8 mm / str. synchro



Torri Oak 63112
1285 x 280 x 8 mm / str. synchro



Albiano Oak 63127
1285 x 280 x 8 mm / str. synchro



Evolution 4V Kingston Oak

13.

EMOTIONS 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Emotions 4V Helmond Oak



Helmond Oak 62492
1285 x 280 x 8 mm / str. synchro



Nebraska Oak 62493
1285 x 280 x 8 mm / str. synchro



Durango Oak 62494
1285 x 280 x 8 mm / str. synchro



Emotions 4V Canberra Oak



Villach Oak 62495
1285 x 280 x 8 mm / str. synchro



Ardesia Oak 62496
1285 x 280 x 8 mm / str. synchro



Caldo Oak 62500
1285 x 280 x 8 mm / str. synchro



Predi Oak 62501
1285 x 280 x 8 mm / str. synchro



Canberra Oak 62502
1285 x 280 x 8 mm / str. synchro



Caluri Oak 62503
1285 x 280 x 8 mm / str. synchro

14.

HARMONY FORTE

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Harmony Forte Trydent Oak



Fernandez 55857
1285 x 280 x 8 mm / str. wood matt



Selma Oak 55858
1285 x 280 x 8 mm / str. wood matt



Karelia 55954
1285 x 280 x 8 mm / str. wood matt



Avan Oak 55959
1285 x 280 x 8 mm / str. synchro



Dorado Oak 56611
1285 x 280 x 8 mm / str. wood matt



Marston Oak 56612
1285 x 280 x 8 mm / str. wood gloss



Aurora Oak 55955
1285 x 280 x 8 mm / str. wood matt



Atlantis Oak 55956
1285 x 280 x 8 mm / str. wood matt



Glandys Oak 55958
1285 x 280 x 8 mm / str. wood gloss



Trydent Oak 56613
1285 x 280 x 8 mm / str. wood matt



Raven Oak 56702
1285 x 280 x 8 mm / str. wood matt



15.

PRIDE 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Pride 4V Hilton Oak



Pride 4V Calamba Oak



Hilton Oak 56692

1285 x 280 x 8 mm / str. synchro



Campo Oak 56694

1285 x 280 x 8 mm / str. synchro



Winston Oak 56695

1285 x 280 x 8 mm / str. synchro



Bergen Oak 56696

1285 x 280 x 8 mm / str. synchro



Laredo Oak 56693

1285 x 280 x 8 mm / str. synchro



Bradford Oak 56697

1285 x 280 x 8 mm / str. synchro



Calamba Oak 56698

1285 x 280 x 8 mm / str. synchro



Cassada Oak 56699

1285 x 280 x 8 mm / str. synchro

16.

VILLA 4V

1285 x 280 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



RESIST SPILLS
UP TO 48H





Peoria Oak 55061
1285 x 280 x 8 mm / str. wood gloss



Lozano Oak 55062
1285 x 280 x 8 mm / str. wood matt



Beton 55063
1285 x 280 x 8 mm / str. wood matt



Villa 4V Ravello Oak



Villa 4V Veroni Oak



Lancaster Oak 55064
1285 x 280 x 8 mm / str. wood matt



Veroni Oak 55065
1285 x 280 x 8 mm / str. wood matt



Bordeaux Pine 55066
1285 x 280 x 8 mm / str. wood matt



Ravello Oak 55068
1285 x 280 x 8 mm / str. wood gloss

17.

EXPERT 4V

1285 x 158 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Expert 4V Salerno Oak



Expert 4V Marston Oak



Trydent Oak 56002
1285 x 158 x 8 mm / str. wood matt



Alicante Oak 56570
1285 x 158 x 8 mm / str. synchro



Salerno Oak 56571
1285 x 158 x 8 mm / str. synchro



Marston Oak 56572
1285 x 158 x 8 mm / str. wood gloss



Expert 4V Trydent Oak

18.

LEGEND 4V

1285 x 158 mm



ABRASION CLASS



USAGE CLASS



GUARANTEE



THICKNESS



4-SIDED BEVEL



SYNCHRONOUS SURFACE



RESIST SPILLS UP TO 48H




Legend 4V Dundee Oak



Ashington Oak 54752
1285 x 158 x 8 mm / str. synchro



Glasgow Oak 54753
1285 x 158 x 8 mm / str. synchro



Gordon Oak 54754
1285 x 158 x 8 mm / str. synchro



Edynburg Oak 54755
1285 x 158 x 8 mm / str. synchro



Dundee Oak 54781
1285 x 158 x 8 mm / str. synchro



Livingston Oak 54783
1285 x 158 x 8 mm / str. synchro



Legend 4V Gordon Oak

19.

VISIO-GRANDE

604 x 280 mm



ABRASION CLASS



USAGE CLASS



GUARANTEE



THICKNESS



4-SIDED BEVEL




STONE SURFACE



RESIST SPILLS UP TO 48H



Visiogrande Dark Coloured Granite



Oiled State 56015
604 x 280 x 8 mm / str. stone




Screed Light 56016
604 x 280 x 8 mm / str. stone




White Granite 56017
604 x 280 x 8 mm / str. stone



Beige Granite 56021
604 x 280 x 8 mm / str. stone



Cement Screed Beige 56022
604 x 280 x 8 mm / str. stone



Cement Screed Taupe 56023
604 x 280 x 8 mm / str. stone



Slate Clay Grey 56018
604 x 280 x 8 mm / str. stone



Concrete White 56019
604 x 280 x 8 mm / str. stone



Cement Screed Grey 56020
604 x 280 x 8 mm / str. stone



Black Granite 56024
604 x 280 x 8 mm / str. stone



Screed White 56025
604 x 280 x 8 mm / str. stone



Screed Graphite 56026
604 x 280 x 8 mm / str. stone




Idian Slate Light 56027
604 x 280 x 8 mm / str. stone




Concrete White 56028
604 x 280 x 8 mm / str. stone



Travertin 56029
604 x 280 x 8 mm / str. stone



Soft Cotton White 56649
604 x 280 x 8 mm / str. stone



Soft Cloud Grey 56650
604 x 280 x 8 mm / str. stone



Soft Cord Brown 56651
604 x 280 x 8 mm / str. stone



Screed Old White 56030
604 x 280 x 8 mm / str. stone



Cement Screed Sand 56031
604 x 280 x 8 mm / str. stone



Dark Coloured Granite 56648
604 x 280 x 8 mm / str. stone



Soft Dark Anthracite 56652
604 x 280 x 8 mm / str. stone



Marble White 57203
604 x 280 x 8 mm / str. stone



Visiogrando White Granite

20.

XXL DYNAMIC

1790 x 241 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



XXL Dynamic Santa Rosa



XXL Dynamic Chiaro



Santa Rosa 57054

1790 x 241 x 8 mm / str. synchro



Pirovano 57056

1790 x 241 x 8 mm / str. synchro



Castelli 57057

1790 x 241 x 8 mm / str. synchro



Chiaro 57058

1790 x 241 x 8 mm / str. synchro



Florentino 57055

1790 x 241 x 8 mm / str. synchro



Grigio 57059

1790 x 241 x 8 mm / str. synchro



Nero 57060

1790 x 241 x 8 mm / str. synchro



Alpine White 57061

1790 x 241 x 8 mm / str. synchro

21.

XXL HORIZON

1790 x 241 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



RESIST SPILLS
UP TO 48H



XXL Horizon Avare



Avare 57042
1790 x 241 x 8 mm / str. wood matt



Franca 57043
1790 x 241 x 8 mm / str. wood matt



Maringa 57044
1790 x 241 x 8 mm / str. wood matt



Santos 57048
1790 x 241 x 8 mm / str. wood matt



Betim 57049
1790 x 241 x 8 mm / str. wood matt



Canarana 57050
1790 x 241 x 8 mm / str. wood matt



Cascavel 57045
1790 x 241 x 8 mm / str. wood matt



Diadema 57046
1790 x 241 x 8 mm / str. wood matt



Campinas 57047
1790 x 241 x 8 mm / str. wood matt



Diamantino 57051
1790 x 241 x 8 mm / str. wood matt



Jussara 57052
1790 x 241 x 8 mm / str. wood matt



Formosa 57053
1790 x 241 x 8 mm / str. wood matt

22.

GRANDE XXL

1790 x 241 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



THICKNESS



Grande XXL Segovia



Bellevue 62960
1790 x 241 x 8 mm / str. synchro



Versailles 62961
1790 x 241 x 8 mm / str. synchro



Sanssouci 62962
1790 x 241 x 8 mm / str. synchro



Ashford 62966
1790 x 241 x 8 mm / str. synchro



Amber Fort 62963
1790 x 241 x 8 mm / str. synchro



Chillon 62964
1790 x 241 x 8 mm / str. synchro



Corfe 62965
1790 x 241 x 8 mm / str. synchro



Chantilly 62967
1790 x 241 x 8 mm / str. synchro



Grande XXL Sanssouci




Schönbrunn 62968
1790 x 241 x 10 mm / str. synchro




Charlottenburg 62970
1790 x 241 x 10 mm / str. synchro



Moritzburg 62971
1790 x 241 x 10 mm / str. synchro



Casa Loma 62972
1790 x 241 x 10 mm / str. synchro



Neuschwanstein 62969
1790 x 241 x 10 mm / str. synchro



Alhambra 62973
1790 x 241 x 10 mm / str. synchro



Segovia 62974
1790 x 241 x 10 mm / str. synchro



Catalina 62975
1790 x 241 x 10 mm / str. synchro

23.

DIAMOND 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Diamond 4V Granada Oak



Laredo Oak 57280
1285 x 192 x 10 mm / str. synchro



Bogota Oak 62183
1285 x 192 x 10 mm / str. wood matt



Medelin Oak 62184
1285 x 192 x 10 mm / str. wood matt



Cali Oak 62188
1285 x 192 x 10 mm / str. wood matt



Pereira Oak 62189
1285 x 192 x 10 mm / str. wood matt




Cartago Oak 62190
1285 x 192 x 10 mm / str. wood matt



Kartagina Oak 62185
1285 x 192 x 10 mm / str. wood matt



Pradera Oak 62186
1285 x 192 x 10 mm / str. wood matt



Cerrito Oak 62187
1285 x 192 x 10 mm / str. wood matt



Granada Oak 62191
1285 x 192 x 10 mm / str. wood matt



Diamond 4V Cartago Oak

24.

FORZA 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H




Forza 4V Borgo Oak



Forza 4V Moricone Oak



La Solana Oak 63343
1285 x 192 x 10 mm / str. wood matt




Forza 4V Borgo Oak




Cassino Oak 63344
1285 x 192 x 10 mm / str. wood matt



Borgo Oak 63346
1285 x 192 x 10 mm / str. wood matt



Aranova Oak 63347
1285 x 192 x 10 mm / str. wood matt



Moricone Oak 63349
1285 x 192 x 10 mm / str. synchro

25.

IMPRESSION 4V

1285 x 158 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Impression 4V Grenada Oak



Hamburg Oak 56578
1285 x 158 x 10 mm / str. synchro



Oxford Oak 56579
1285 x 158 x 10 mm / str. synchro



Alicante Oak 56580
1285 x 158 x 10 mm / str. synchro



Grenada Oak 56584
1285 x 158 x 10 mm / str. synchro



Altea Oak 56581
1285 x 158 x 10 mm / str. synchro



Bassano Oak 56582
1285 x 158 x 10 mm / str. synchro



Bilbao Oak 56583
1285 x 158 x 10 mm / str. synchro



Santana Oak 56586
1285 x 158 x 10 mm / str. synchro



Impression 4V Santana Oak

26.

VOGUE 4V

1285 x 158 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Vogue 4V Aragon Oak



Vogue 4V Belmonte Oak



Aragon Oak 54815
1285 x 158 x 10 mm / str. synchro



Morella Oak 54816
1285 x 158 x 10 mm / str. synchro



Belmonte Oak 54817
1285 x 158 x 10 mm / str. synchro



Dalton Oak 54818
1285 x 158 x 10 mm / str. synchro



Vogue 4V Morella Oak

27.

DISCOVERY 4V

1285 x 158 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Discovery 4V Argenta Oak Jasmine



Discovery 4V Argenta Oak Grey



Verden Oak Snow 54706

1285 x 158 x 10 mm / str. synchro



Argenta Oak Grey 54707

1285 x 158 x 10 mm / str. synchro



Argenta Oak Natural 54708

1285 x 158 x 10 mm / str. synchro



Argenta Oak Jasmine 54712

1285 x 158 x 10 mm / str. synchro



Discovery 4V Argenta Oak Natural

28.

STORY 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Story 4V Austin Oak



Lorian Oak 53343
1285 x 192 x 12 mm / str. wood matt



Medina Oak 53344
1285 x 192 x 12 mm / str. synchro



Waldorf Oak 55233
1285 x 192 x 12 mm / str. wood matt



Kolari 56130
1285 x 192 x 12 mm / str. synchro



Sydney Oak 62429
1285 x 192 x 12 mm / str. wood matt



Darwin Oak 62430
1285 x 192 x 12 mm / str. wood matt



Austin Oak 55234
1285 x 192 x 12 mm / str. synchro



Rovertto Oak 55675
1285 x 192 x 12 mm / str. synchro



Harvest Oak 55972
1285 x 192 x 12 mm / str. synchro



Story 4V Rovertto Oak

29.

SUPREME 4V

1285 x 192 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Supreme 4V Merlo Oak



Supreme 4V Veneto Oak



Sella Oak 63167
1285 x 192 x 12 mm / str. synchro



Casera Oak 63168
1285 x 192 x 12 mm / str. synchro




Rocca Oak 63169
1285 x 192 x 12 mm / str. synchro



Calvene Oak 63170
1285 x 192 x 12 mm / str. synchro



Merlo Oak 63172
1285 x 192 x 12 mm / str. synchro



Veneto Oak 63174
1285 x 192 x 12 mm / str. synchro

30.

EXTREME 4V

1285 x 158 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



WOODEN
SURFACE



SYNCHRONOUS
SURFACE



RESIST SPILLS
UP TO 48H



Extreme 4V Tolpeo Oak



Tolpeo Oak 54745
1285 x 158 x 12 mm / str. synchro



Guanare Oak 54748
1285 x 158 x 12 mm / str. wood gloss



Anaco Oak 54749
1285 x 158 x 12 mm / str. wood gloss



Prego Oak 54750
1285 x 158 x 12 mm / str. wood matt



Extreme 4V Anaco Oak




Breyton Oak 54751
1285 x 158 x 12 mm / str. synchro



Extreme 4V Prego Oak


31. megaloc

aqua protect



Water resistant laminate flooring with megaloc aqua protect is easy to install and gives you full protection.

The unique system provides reliable water resistance by preventing water from entering the joints.




LLT | anti scratch **LLT** | anti static

LLT surface, which guarantees a great appearance of the floor surface even with intensive exploitation. Safety for allergy sufferers - no dust at home! A special anti-static layer prevents the formation of electric charges on the surface.

antibacterial⁺
by CLASSEN

The surfaces of CLASSEN laminate floors have a strong antibacterial effect. It therefore awards CLASSEN laminate the „Antibacterial“ certificate according to ISO 22196.

 Friendly to warm water and electric **underfloor heating systems.**



SCAN & SEE
How to correctly install
click laminate flooring

OUR SURFACE STRUCTURE


SCAN & SEE
our shorts video




Synchronized texture



Stone texture



Wood texture matt



Wood texture gloss

ОФІЦІЙНИЙ ДИЛЕР



Магазин плитки, мозаїки та декору

www.plitkashop.com.ua

0 800 215 712

ОФІС ТА ШОУРУМ

м. Київ, Стратегічне шосе, 11